AMENDMENT OF SOLICITATI	ON/MODIFICATI	ON OF CONTRACT	1. Contract I		Page 1 Of 11
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Purchase Req			
0001	2007MAY17	SEE SCHEDULE			
6. Issued By	Code W56HZV	7. Administered By (If other	than Item 6)	I	Code
U.S. ARMY TACOM LCMC AMSTA-AQ-AHPB ED PRESSLEY (586)753-2312 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL WEAPON SYSTEM: WPN SYS: JT EMAIL: ED.PRESSLEY@US.ARMY.MIL		SCD	PAS	ADF	PT
8. Name And Address Of Contractor (No., Stre	eet, City, County, State and		9A. Amendmen		
			W56HZV-07-R-	0.51.2	
		<u> </u>	9B. Dated (See		
			2007MAY17		
			10A. Modificat	tion Of Contra	ct/Order No.
Code Estitus Code			10B. Dated (Se	e Item 13)	
Code Facility Code	THIS ITEM ONI V ADDI I	ES TO AMENDMENTS OF SO	OLICITATION	IS	
X The above numbered solicitation is amend					
is extended, is not extended. Offers must acknowledge receipt of this ame (a) By completing items 8 and 15, and return offer submitted; or (c) By separate letter or ACKNOWLEDGMENT TO BE RECEIVE SPECIFIED MAY RESULT IN REJECTION change may be made by telegram or letter, propening hour and date specified. 12. Accounting And Appropriation Data (If reconstructions)	ning <u>2</u> signed copies of telegram which includes a D AT THE PLACE DESIGN OF YOUR OFFER. If provided each telegram or	of the amendments: (b) By acknreference to the solicitation and GNATED FOR THE RECEIPT by virtue of this amendment you	nowledging rece d amendment n OF OFFERS I u desire to char	eipt of this ame numbers. FAII PRIOR TO TH nge an offer alı	ndment on each copy of the JURE OF YOUR E HOUR AND DATE ready submitted, such
13. THIS	ITEM ONLY APPLIES T	O MODIFICATIONS OF COM	NTRACTS/OR	DERS	
		act/Order No. As Described In			
A. This Change Order is Issued Pursua The Contract/Order No. In Item 10.	Α.				h In Item 14 Are Made In
B. The Above Numbered Contract/Orde Set Forth In Item 14, Pursuant To T	The Authority of FAR 43.10	03(b).	ich as changes i	in paying office	e, appropriation data, etc.)
C. This Supplemental Agreement Is Ent	tered Into Pursuant To Au	thority Of:			
D. Other (Specify type of modification a	and authority)				
E. IMPORTANT: Contractor is not,	<u> </u>	this document and return		copies to the Is	
14. Description Of Amendment/Modification (Organized by UCF section	headings, including solicitation	n/contract subje	ect matter when	re feasible.)
SEE SECOND PAGE FOR DESCRIPTION					
Except as provided herein, all terms and condi and effect. 15A. Name And Title Of Signer (Type or print		renced in item 9A or 10A, as he			
15B. Contractor/Offeror	15C. Date Signed	16B. United States Of a	America /SIGNED/		16C. Date Signed
(Signature of person authorized to sign)		(Signature of	f Contracting (,	EODM 20 (DEV. 10.92)

CONTINU	ATTON	CITETO
CONTINU	AIIUN	SHEEL

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-R-0512

MOD/AMD 0001

Page 2 of 11

Name of Offeror or Contractor:

SECTION A - SUPPLEMENTAL INFORMATION
Amendment 0001 under RFP W56HZV-07-R-0512

- 1. The purpose of this amendment is to incorporate:
 - a. Additional clauses under the FOB Origin.
 - b. Incorporate the X under Technical Package Package Information clause for viewing the package under the web site
 - c. Packaging Requirements Clause
- 2. All other terms and conditions remain the same.

*** END OF NARRATIVE A 0001 ***

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-R-0512

MOD/AMD 0001

Page 3 of 11

Name of Offeror or Contractor:

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

	Status	Regulatory Cite	Title	Date
-1	CHANGED	52.211-4072	TECHNICAL DATA PACKAGE INFORMATION	JAN/2005
		(TACOM)		

The following "X"d item applies to this solicitation:

- [] There is no Technical Data Package (TDP) included with this solicitation.
- [] The TDP for this solicitation is on a CD ROM and must be ordered. Ordering instructions can be obtained at Uniform Resource locator (URL): http://contracting.tacom.army.mil/bidreq.htm
- [X] This solicitation contains one, or, more Web located TDPs. If multiple Contract Line Item Numbers (CLINs) are listed, each one will have its own URL just under the CLIN listing. The URL will take you to that CLIN's Web located TDP. To access the TDP, you will have to copy or type the link's URL into your web browser address bar at the top of the screen.

Note: To copy a link from a .pdf file, click on the "Text Select Tool," then highlight the URL, copy and paste it into your browser, and hit the enter key.

CLIN: 0001AA

 ${\tt TDP\ Link\ (URL):} \quad {\tt https://acms.tacom.army.mil/techdata/packages/4310/009397098/EH7Y8168EH/main.htm}$

[End of Clause]

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-R-0512

MOD/AMD 0001

Page 4 of 11

Name of Offeror or Contractor:

SECTION D - PACKAGING AND MARKING

Status	Regulatory Cite	Title	Date	
1 CHANGED	52.211-4516 (TACOM)	PACKAGING REQUIREMENTS (SELECTIVE GROUP PACKAGING REQUIREMENTS)	NOV/2005	

- (a) Military preservation, packing, and marking for this contract shall be accomplished in accordance with the specific requirements identified below and all the applicable requirements of MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 including Notice 1, Dated 10 May 2002.
 - (1) LEVEL OF PRESERVATION: Military
 - (2) LEVEL OF PACKING: B
 - (3) QUANTITY PER UNIT PACKAGE: 001
- (b) MIL-STD-2073-1, Appendix J establishes and defines codes used in describing military packaging methods and materials. The following codes from Appendix J apply:
 - (1) Preservation Method Code: 41 (Table j.i. and j.ia.)
 - (2) Cleaning Procedure Code: 1 (Table j.ii)
 - (3) Preservative Material Code: 00 (Table j.iii)
 - (4) Wrapping Material Code: 00 (Table j.iv)
 - (5) Cushioning and Dunnage Code: GA (Table j.v)
 - (6) Thickness of Cushioning or Dunnage Code: X (Table j.vi)
 - (7) Unit Container Code: ZZ (Table j.vii)
 - (8) Intermediate Container Code: 00 (Table j.vii)
 - (9) Quantity per Intermediate Container Code: AAA (Appendix J.4.11)
 - (10) Packing Code: A (Table j.IX and J.IXa)
 - (11) Special Marking Code: 00 (Table j.x)
- (c) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage
 - (d) Marking:
- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P(3), dated 29 Oct. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material. NOTE: Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors much check the solicitation and/or contract for this clause.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin,

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-R-0512

MOD/AMD 0001

Page 5 of 11

Name of Offeror or Contractor:

Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.

- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee."
- (4) Commercial software may be used to generate a Military Shipment Label / Issue Receipt Document (MSL/IRRD)including the required Code 39 and 2D(PDF417) bar codes. However, the commercial software must produce labels/documents which comply with the requirements of MIL-STD-129P. Contractors shall insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, and DODAAC. (Army developed software, for creating MSL/IRRD previously available to those with government contracts is no longer supported.)
- (e) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.
- (f) These packaging requirements are intended to provide protection against environmentally induced corrosion and deterioration, physical and mechanical damage, and other forms of degradation during storage, multiple handling, and shipment associated with the military distribution system. The Government encourages contractors to submit requests for changes that will result in savings or improve the packaging. Please submit request for changes in accordance with the RFD clause of the contract. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing at contractors expense.
 - (g) Hazardous Materials(as applicable):
- (1) Hazardous Materials is defined as a substance or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:
 - International Air Transport Association (IATA) Dangerous Goods Regulations
 - International Maritime Dangerous Goods Code (IMDG)
 - Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49 $\,$
 - Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).
- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
 - (h) SUPPLEMENTAL INSTRUCTIONS: USE BAG BS WITHIN FASTPACK NR

[End of Clause]

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-R-0512

MOD/AMD 0001

Page 6 of 11

Name of Offeror or Contractor:

SECTION F - DELIVERIES OR PERFORMANCE

Status	Regulatory Cite	Title	Date
F-1 ADDED	52.247-29	F.O.B. ORIGIN	FEB/2006
F-2 ADDED	52.247-58	LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS	APR/1984
F-3 ADDED	52.247-59	F.O.B. ORIGINCARLOAD AND TRUCKLOAD SHIPMENTS	APR/1984
F-4 ADDED	52.247-60	GUARANTEED SHIPPING CHARACTERISTICS	DEC/1989

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which w

(1)	To be o	completed by the offeror:
	(i)	Type of "Outer" container: Wood Box, Fiber Box, Barrel, Reel, Drum, Other (Specify)
	(ii)	Shipping configuration: Knocked-down, Set-up, Nested, Other (specify);
	(iii)	Size of outer container: inches (Length), x inches (Width), x inches (Height) = Cubic FT;
	(iv)	Number of items per outer container Each;
	(v)	Gross weight of outer container and contents LBS
	(vi)	Palletized/skidded Yes No;
	(vii)	Number of outer containers per pallet/skid;
	(viii)	Weight of empty pallet bottom/skid and sides LBS;
	(ix)	Size of pallet/skid and contents;
	(x)	Number of outer containers or pallets/skids per railcar *
		Size of railcar
		Type of railcar
	(xi)	Number of outer containers or pallets/skids per trailer *
		Size of trailer
		Type of trailer
mber of co	mplete u	units (contract line item) to be shipped in carrier's equipment.
(2)	To be o	completed by the Government after evaluation but before contract award:
	(i)	Rate used in evaluation;

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-R-0512

MOD/AMD 0001

Page 7 of 11

Name of Offeror or Contractor:

actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of FAR Clause]

The following information is provided as guidance in filling out the above clause by paragraph. Note: Disregard asterisk (*) in the clause where it appears.

(a)(1)(i) Type of container (mandatory fill-in):

The type of container is defined as an overpack. This is an outer container usually made of steel, wood, or fiber designed to enclose and protect one or more less durable inner containers. When Other is selected you must also complete (a)(1)(ii) Shipping configuration.

(a)(1)(ii) Shipping configuration:

Complete this information when any one dimension of the item is reduced.

(a)(1)(iii) Size of container (mandatory fill-in):

Outer dimensions of the overpack or other described shipping configuration. Must be provided in inches. The cube shall be provided in cubic feet. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(iv) Number of items per container (mandatory fill-in):

The number of units of issue in the overpack or in the other described shipping configuration.

(a)(1)(v) Gross weight of container and contents (mandatory fill-in):

The combined mass of the overpack containing the packing material and the number of units of issue supplied in pounds.

(a)(1)(vi) Palletized/skidded:

Indicate Yes if overpack or other described shipping configuration is attached to pallet or skid to form a unit load for handling.

(a)(1)(vii) Number of containers per pallet/skid:

Only complete this if you answered Yes to (a)(1)(vi). Containers are the number of overpacks or other described shipping configurations attached to a pallet or skid base.

(a)(1)(viii) Weight of empty pallet bottom/skid and sides:

Only complete this if you answered Yes to (a)(1)(vi) or when the weight of the container and contents in (a)(1)(v) above does not include this weight.

(a)(1)(ix) Size of pallet/skid and contents:

Only complete this if you answered Yes to (a)(1)(vi). Indicate weight in pounds and cube in cubic feet of combined overpack or other described shipping configuration and attached pallet or skid. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(x) Number of containers or pallets/skids per railcar:

Only complete this if you have rail capability and the rail car may be fully utilized. Quantity of overpacks or other described shipping configurations that will fit in a fully utilized railcar. Specify length in feet and type (flat, box, gondola, etc.) of railcar.

(a)(1)(xi) Number of containers or pallets/skids per trailer (mandatory fill-in): Quantity of overpacks or other described shipping configurations that will fit in a fully utilized trailer. Specify length in feet and type (flatbed, van, etc.) of trailer. For import/export shipments in ISO/seavan containers indicate quantity of overpacks or other described shipping configurations fully utilizing the container. Specify length in feet of the ISO/seavan containers.

NOTE: "Fully Utilized" means filling to full visible capacity.

F-5 ADDED 52.247-65

F.O.B. ORIGIN--PREPAID FREIGHT--SMALL PACKAGE SHIPMENTS

JAN/1991

- (a) When authorized by the Contracting Officer, f.o.b. origin freight shipments which do not have a security classification shall move on prepaid commercial bills of lading or other shipping documents to domestic destinations, including air and water terminals. Weight of individual shipments shall be governed by carrier restrictions but shall not exceed 150 pounds by any form of commercial air or 1,000 pounds by other commercial carriers. The Government will reimburse the Contractor for reasonable freight charges.
- (b) The Contractor shall annotate the commercial bill of lading as required by the clause of this contract entitled Commercial Bill of Lading Notations.

CONTINUATION SHEET Reference No. of Document Being Continued

MOD/AMD 0001

Page $\,$ 8 of 11

PIIN/SIIN W56HZV-07-R-0512

Name of Offeror or Contractor:

(c)	The	Contracto	r shal	ll consolidat	e prepaid :	shipments	in accordance	with pr	ocedures	s establis	hed by the	e cognizant	trans	portation
office.	The	Contractor	is au	thorized to	combine Gov	vernment p	repaid shipme	nts with	the Con	tractor's	commercia	al shipment	s for a	delivery t
one or m	nore c	onsignees	and th	ne Government	will reim	burse its	pro rata shar	e of the	total f	reight co	sts. The	Contractor	shall	provide a
copy of	the c	commercial	bill o	of lading pro	mptly to ea	ach consig	nee. Quantit	ies shal	l not be	divided	into maila	able lots f	or the	purpose o
avoiding	avoiding movement by other modes of transportation.													

- (d) Transportation charges will be billed as a separate item on the invoice for each shipment made. A copy of the pertinent bill of lading, shipment receipt, or freight bill shall accompany the invoice unless otherwise specified in the contract.
 - (e) Loss and damage claims will be processed by the Government.

[End of Clause]

F-6 ADDED 52.247-4005 SHIPMENT OF SUPPLIES AND DETENTION OF CARRIERS EQUIPMENT AUG/2003 (TACOM)

- (a) Unless otherwise directed, shipment items under this contract in following order of priority:
 - (1) Government/Commercial Bill(s) of Lading or US Postal Services;
 - (2) Prepaid Commercial Bill(s) of Lading with transportation charges entered as a separate item on the invoice; or
 - (3) As otherwise instructed when the contract prohibits use of Government funds for transportation costs.
- (b) The Contractor will request:
 - (1) Government Bills of Lading and
- (2) Routing and other instructions, including Defense Transportation Regulation (DTR), DOD Regulation 4500.9-R-Part 2 Cargo Movement, as to the methods of shipment to be followed by the Contractor, or
- (c) The Contractor and subcontractor(s) must allow prompt and convenient access of carrier's equipment to loading docks or platforms where the contract items supplies will be loaded. Any charges for detention of carrier's equipment shall be for the account of the Contractor, except when the detention is required or caused by the Government.

[End of Clause]

F-7 ADDED 52.247-4010 TRANSPORTATION DATA FOR FOB ORIGIN OFFERS FEB/1994 (TACOM)

(a) Provide the following information for us to use in selecting the most favorable mode of shipment. We'll also use this information in our evaluation of transportation costs.

Offeror represents that:

(1)	Fa	cil	ities	for	shipping	by	rail
	-	-	are	not.			
		,	u	100			

available at the F.O.B. point(s) stated in this solicitation.

- (3) Facilities for shipping by water

[] are [] are not

available at the F.O.B. point(s) stated in this solicitation.

Reference No. of Document Being Continued Page 9 of 11 **CONTINUATION SHEET** PIIN/SIIN W56HZV-07-R-0512 MOD/AMD 0001 Name of Offeror or Contractor: (4) Facilities for shipping by motor [] are [] are not available at the F.O.B. point(s) stated in this solicitation. (5) If there is a Contractor Reimbursable Loading Charge and you didn't include it in the offered unit price in Section B, please indicate it below, per unit: _____/Unit RAIL: ____/Unit MOTOR:___ ____/Unit WATER:___ CAUTION: GIVE THE COST OF REIMBURSABLE LOADING CHARGE (NOT ALREADY IN THE OFFERED UNIT PRICE) ON A PER UNIT BASIS. THE OF MEASURE IS AS INDICATED ON THE SCHEDULE PAGE, SECTION B, UNDER THE UNIT COLUMN. (b) We will consider any charge listed above in the overall transportation evaluation of this solicitation. Unless you fill-in the above information for loading charges, we will consider all costs associated with loading to be included in the item price offered in Section B. These costs include: (i) loading, (ii) blocking, (iii) bracing, (iv) drayage, (v) switching, or (vi) any other service necessary to effect delivery F.O.B. carrier's equipment you've indicated as available and we specify at time of shipment. (c) If rail facilities aren't available at the designated F.O.B. point(s), rail won't be used unless directed by the Administrative Contracting Officer (ACO). If the ACO tells you rail facilities will be used, we'll adjust the contract price by adding the loading charge filled in above for transportation to the nearest rail facility. (d) IF YOU DO NOT FILL IN AN ADDITIONAL CHARGE FOR RAIL SHIPMENT ABOVE, YOU AGREE THAT THE CONTRACT PRICE ALREADY INCLUDES ALL CHARGES FOR SUCH SHIPMENTS. THEREFORE, SHIPMENT BY RAIL WILL NOT COST US ANY MORE. [End of Clause] F-8 ADDED 52.247-4011 FOR POINT SEP/1978

Delivery on F.O.B. origin offers will be F.O.B. Carrier's equipment, wharf, or freight station, at the Government's option, at or

(State)

(State)

[End of Clause]

(ZIP)

(ZIP)

(County)

near:

(1) Contractor's Plant:

(2) Subcontractor's Plant: _

(City)

(City)

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-R-0512

MOD/AMD 0001

Page 10 of 11

Name of Offeror or Contractor:

SECTION I - CONTRACT CLAUSES

<u>Stat</u>	<u>us Regulatory Cite</u>	Title	Date
I-1 ADDE	D 52.247-1	COMMERCIAL BILL OF LADING NOTATIONS	FEB/2006
I-2 ADDE	D 252.242-7003	APPLICATION FOR U.S. GOVERNMENT SHIPPING DOCUMENTATION/INSTRUCTIONS	DEC/1991

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-R-0512

MOD/AMD 0001

Page 11 of 11

Name of Offeror or Contractor:

SECTION M - EVALUATION FACTORS FOR AWARD

	<u>Status</u>	Regulatory Cite	<u> Title</u>	Date
1	1-1 ADDED	52.247-46	SHIPPING POINT(S) USED IN EVALUATION OF F.O.B. ORIGIN OFFERS	APR/1984
ľ	1-2 ADDED	52.247-47	EVALUATIONF.O.B. ORIGIN	JUN/2003
1	1-3 CHANGED	52.247-4006	METHOD OF EVALUATION FOR F.O.B. ORIGIN TRANSPORTATION OFFERS	DEC/2005
•	. 5 CHIMODE	(TACOM)	METHOD OF EVALUATION FOR F.O.B. ORIGIN IMMOFORMITION OF ERE	DBC/ 2003

- (a) For the evaluation of this offer, we will use the lowest freight rates from the Transportation Officer that are:
 - in effect (or the lowest rates that will become effective before the expected date of initial shipment), and
- on file or published with the Transportation Officer by the date of bid opening (or by the closing date specified for requests for proposals), and
 - for the Government selected method of shipment, and
 - based upon the following freight classification:

UFC: 6000 UFC ITEM NO.: 35070 NMFC: 100 NMFC ITEM NO: 35070

[End of Provision]